

Helium, compressed

 Issue Date:
 16.01.2013

 Last revised date:
 07.09.2016

Version: 1.3

SDS No.: 000010021690 1/12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name:	Helium, compressed
Trade name:	Helium Balloon Gas, Helium A/Zero Grade N4.6, Helium CP Grade N5.0, Helium CP Grade N5.0 NMR Use Only, Helium Diving Grade, Helium ECD Grade, Helium Grade N6.0, Helium Research Grade N5.5
Additional identification Chemical name:	Helium
Chemical formula: INDEX No. CAS-No. EC No. REACH Registration No.	He - 7440-59-7 231-168-5 Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration.
1.2 Relevant identified uses of the subst	ance or mixture and uses advised against
Identified uses:	Industrial and professional. Perform risk assessment prior to use. Balance gas for mixtures. Balloon gas. Calibration gas. Carrier gas. Combustion, melting and cutting processes. Inerting gas. Laboratory use. Laser gas. Pressure head gas, operational assist gas in pressure systems. Process gas. Professional diving. Purge gas. Test gas. Consumer use.
Uses advised against	Balloon gas. Shielding gas in gas welding. Industrial or technical grade unsuitable for medical applications or inhalation. Inhaling helium may cause asphyxiation followed by death.
1.3 Details of the supplier of the safety of Supplier	lata sheet

Supplier BOC Priestley Road, Worsley M28 2UT Manchester	Telephone: 0800 111 333
E-mail: ReachSDS@boc.com	

1.4 Emergency telephone number: 0800 111 333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended.

Not classified



Helium, compressed

		Helium, compr	essed		
Issue Date: Last revised date:	16.01.2013 07.09.2016	Version: 1.3	SDS No.: 000010021690 2/12		
Classification	according to Reg	ulation (EC) No 1272/2008 a	is amended.		
Physical Ha					
-	er pressure	Compressed gas	H280: Contains gas under pressure; may explode if heated.		
2.2 Label Elements	5				
		-			
Signal Wo	arde:	Warning			
-		waining			
Hazard St	atement(s):	H280: Contains gas under	pressure; may explode if heated.		
Precautio	nary Statement				
Prevent	ion:	None.			
Respons	se:	None.			
Storage	:	P403: Store in a well-ventilated place.			
Disposa	l:	None.			
Suppleme	ental label inform	ation EIGA-As: Asphyxiant in hig	h concentrations.		
2.3 Other hazards:		None.			
SECTION 3: Compo	sition/informat	ion on ingredients			
3.1 Substances					
Chemical nam INDEX No.:	ie	Helium			
CAS-No.:		- 7440-59-7			
EC No.:		231-168-5			
REACH Regist	ration No.:		gulation (EC) No 1907/2006 (REACH), exempted from		
Purity:		registration. 100%			
-			e in this section is used for classification only, and does		

documentation should be consulted. Helium Balloon Gas, Helium A/Zero Grade N4.6, Helium CP Grade N5.0, Helium CP Grade N5.0 NMR Use Only, Helium Diving Grade, Helium ECD Grade, Helium Grade N6.0, Helium Research Grade N5.5

not represent the actual purity of the substance as supplied, for which other



		Helium, compressed	
Issue Date:	16.01.2013	Version: 1.3	SDS No.: 000010021690
Last revised date:	07.09.2016		3/12
SECTION 4: First Aid	Measures		
General:		In high concentrations may cause asphyxiation, mobility/consciousness. Victim may not be awa to uncontaminated area wearing self contained warm and rested. Call a doctor. Apply artificial r	are of asphyxiation. Remove victim I breathing apparatus. Keep victim
4.1 Description of fi	rst aid measures		
Inhalation:		In high concentrations may cause asphyxiation, mobility/consciousness. Victim may not be awa to uncontaminated area wearing self contained warm and rested. Call a doctor. Apply artificial r	are of asphyxiation. Remove victim I breathing apparatus. Keep victim
Eye contact:		Adverse effects not expected from this product	
Skin Contact:		Adverse effects not expected from this product	
Ingestion:		Ingestion is not considered a potential route of	exposure.
4.2 Most important effects, both ac delayed:		Respiratory arrest.	
4.3 Indication of an	v immodiato mod	ical attention and special treatment needed	
Hazards:	y mineulate meu	None.	
Treatment:		None.	
SECTION 5: Firefigh	ting Measures		
General Fire Ha	zards:	Heat may cause the containers to explode.	
5.1 Extinguishing m Suitable exting		Material will not burn. In case of fire in the surro extinguishing agent.	oundings: use appropriate
Unsuitable exti media:	nguishing	None.	
5.2 Special hazards substance or mi		None.	
Hazardous Comb	ustion Products:	None.	
5.3 Advice for firefig Special fire figh procedures:	-	In case of fire: Stop leak if safe to do so. Continu position until container stays cool. Use extingui the source of the fire or let it burn out.	



Helium, compressed

		nenum, compresseu		
Issue Date: Last revised date:	16.01.2013 07.09.2016	Version: 1.3	SDS No.: 000010021690 4/12	
Special protec for firefighters	tive equipment s:	Firefighters must use standard protective eq coat, helmet with face shield, gloves, rubber Guideline: EN 469 Protective clothing for fire for protective clothing for firefighting. EN 15 Protective gloves for firefighters. EN 443 Hel other structures. EN 137 Respiratory protecti circuit compressed air breathing apparatus v testing, marking.	boots, and in enclosed spaces, SCBA. Fighters. Performance requirements 090 Footwear for firefighters. EN 659 Imets for fire fighting in buildings and twe devices - Self-contained open-	
SECTION 6: Accide	ntal Release Me	asures		
6.1 Personal preca protective equ emergency pro	ipment and	Evacuate area. Provide adequate ventilation basements and workpits, or any place where Wear self-contained breathing apparatus wh is proved to be safe. Guideline EN 137 Respin contained open-circuit compressed air breat Requirements, testing, marking.	e its accumulation can be dangerous. hen entering area unless atmosphere ratory protective devices - Self-	
6.2 Environmental	Precautions:	Prevent further leakage or spillage if safe to	do so.	
6.3 Methods and n containment a	naterial for Ind cleaning up:	Provide adequate ventilation.		
6.4 Reference to o	ther sections:	Refer to sections 8 and 13.		



Helium, compressed

 Issue Date:
 16.01.2013

 Last revised date:
 07.09.2016

Version: 1.3

SDS No.: 000010021690 5/12

SECTION 7: Handling and Storage:

7.1 Precautions for safe handling:	Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eg. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Avoid suckback of water, acid and alkalis. Keep container below 50°C in a well ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminates particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place.
7.2 Conditions for safe storage, including any incompatibilities:	Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material.
7.3 Specific end use(s):	None.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.



Helium, compressed

		Helium, compressed	
Issue Date: 16.01.2013 Last revised date: 07.09.2016		Version: 1.3	SDS No.: 000010021690 6/12
8.2 Exposure contr	ols		
Appropriate engineering controls:		Consider a work permit system e.g. for maintenance activities. Ensure adequate air ventilation. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Oxygen detectors should be used when asphyxiating gases may be released. Systems under pressure should be regularly checked for leakages. Preferably use permanent leak tight connections (eg. welded pipes). Do not eat, drink or smoke when using the product.	
Individual prot	ection measures,	such as personal protective equipment	
General infor	mation:	A risk assessment should be conducted and d assess the risks related to the use of the prod matches the relevant risk. The following reco Keep self contained breathing apparatus read Personal protective equipment for the body s being performed and the risks involved.	luct and to select the PPE that mmendations should be considered. dily available for emergency use.
Eye/face protection:		Wear eye protection to EN 166 when using gases. Guideline: EN 166 Personal Eye Protection.	
Skin protectio	n		
Hand Protection:		Wear working gloves while handling containers Guideline: EN 388 Protective gloves against mechanical risks.	
Body prote	ction:	No special precautions.	
Other:		Wear safety shoes while handling containers Guideline: ISO 20345 Personal protective equipment - Safety footwear.	
Respiratory P	rotection:	Not required.	
Thermal hazards:		No precautionary measures are necessary.	
Hygiene measures: Specific risk management measures ar hygiene and safety procedures. Do not product.			
Environmental controls:	exposure	For waste disposal, see section 13.	

SECTION 9: Physical And Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	Gas
Form:	Compressed gas
Colour:	Colorless
Odour:	Odorless
Odour Threshold:	Odour threshold is subjective and is inadequate to warn of over exposure.



Helium, compressed

 Issue Date:
 16.01.2013
 Version: 1.3
 SDS No.: 000010021690

 Last revised date:
 07.09.2016
 7/12

pH:	not applicable.
Melting Point:	-272.15 °C
Boiling Point:	-269 °C
Sublimation Point:	not applicable.
Critical Temp. (°C):	-268.0 °C
Flash Point:	Not applicable to gases and gas mixtures.
Evaporation Rate:	Not applicable to gases and gas mixtures.
Flammability (solid, gas):	This product is not flammable.
Flammability limit - upper (%):	not applicable.
Flammability limit - lower(%):	not applicable.
Vapour pressure:	No reliable data available.
Vapour density (air=1):	0.138 (0 °C)
Relative density:	No data available.
Solubility(ies)	
Solubility in Water:	2.5 mg/l (21 °C)
Partition coefficient (n-octanol/water):	Not known.
Autoignition Temperature:	not applicable.
Decomposition Temperature:	Not known.
Viscosity	
Kinematic viscosity:	No data available.
Dynamic viscosity:	0.025 mPa.s
Explosive properties:	Not applicable.
Oxidising Properties:	not applicable.
9.2 Other information:	None.
Molecular weight:	4 g/mol (He)

SECTION 10: Stability and Reactivity

10.1 Reactivity:	No reactivity hazard other than the effects described in sub-section below.
10.2 Chemical Stability:	Stable under normal conditions.
10.3 Possibility of Hazardous Reactions:	None.
10.4 Conditions to Avoid:	None.
10.5 Incompatible Materials:	No reaction with any common materials in dry or wet conditions.
10.6 Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.



Helium, compressed

e Date: revised date:	16.01.2013 07.09.2016	Version: 1.3	SDS No.: 00001002 ⁻ {
	ological Informa	tion	
General infor	-	None.	
1 Information of	on toxicological ef	fects	
Acute toxicity Product	y - Oral	Based on available data, the classification criteria ar	re not met.
Acute toxicity Product	y - Dermal	Based on available data, the classification criteria ar	re not met.
Acute toxicity Product	y - Inhalation	Based on available data, the classification criteria ar	re not met.
Skin Corrosio Product	n/Irritation	Based on available data, the classification criteria ar	re not met.
Serious Eye D Product	amage/Eye Irrita	tion Based on available data, the classification criteria ar	re not met.
Respiratory o Product	r Skin Sensitisatio	n Based on available data, the classification criteria ar	re not met.
Germ Cell Mu Product	tagenicity	Based on available data, the classification criteria ar	re not met.
Carcinogenic Product	ity	Based on available data, the classification criteria ar	re not met.
Reproductive Product	etoxicity	Based on available data, the classification criteria ar	re not met.
Specific Targe Product	et Organ Toxicity	Single Exposure Based on available data, the classification criteria ar	e not met.
Specific Targe Product	et Organ Toxicity	Repeated Exposure Based on available data, the classification criteria ar	re not met.
Aspiration Ha Product	azard	Not applicable to gases and gas mixtures	
ION 12: Ecolo	gical Informatio	n	

12.1 Toxicity

Acute toxicity Product

No ecological damage caused by this product.



Helium, compressed

			Helium, compressed	
Issue Date: Last revised date:	16.01.2013 07.09.2016	Version: 1. 3 SDS No.: 00001002		SDS No.: 000010021690 9/12
12.2 Persistence a Product	nd Degradability	Not applic	able to gases and gas mixture	S
12.3 Bioaccumulati Product	12.3 Bioaccumulative Potential Product The product is expected to biodegrade and is not expected to persist for lon periods in an aquatic environment.		and is not expected to persist for long	
12.4 Mobility in Soi Product	il	Because of its high volatility, the product is unlikely to cause ground or water pollution.		
12.5 Results of PBT assessment Product	and vPvB	Not classif	ied as PBT or vPvB.	
12.6 Other Adverse	e Effects:	No ecological damage caused by this product.		
SECTION 13: Dispo	sal Consideratio	ns		
13.1 Waste treatm	ent methods			
General infor	mation:		charge into any place where i here in a well ventilated place	ts accumulation could be dangerous. Vent e.
Disposal meth	nods:	Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at http://www.eiga.org) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to national, state, or local laws.		
European Was Container:	<u>ste Codes</u>	16 05 05:	Gases in pressure container 04.	rs other than those mentioned in 16 05
SECTION 14: Trans	port Information	1		

ADR

14.1 UN Number:	UN 1046
14.2 UN Proper Shipping Name:	HELIUM, COMPRESSED
14.3 Transport Hazard Class(es)	
Class:	2
Label(s):	2.2
Hazard No. (ADR):	20
Tunnel restriction code:	(E)
Emergency Action Code:	2T
14.4 Packing Group:	-
14.5 Environmental hazards:	not applicable
14.6 Special precautions for user:	-



Helium, compressed

Helium, compressed				
Issue Date: Last revised date:	16.01.2013 07.09.2016	Version: 1.3	SDS No.: 000010021690 10/12	
RID				
14.1 UN Numb)er·	UN 1046		
14.2 UN Proper Shipping Name		HELIUM, COMPRESSED		
	t Hazard Class(es)			
Class:		2		
Label(s):		2.2		
14.4 Packing (Group:	-		
14.5 Environmental hazards:		not applicable		
	recautions for user:	-		
IMDG				
14.1 UN Numb		UN 1046		
	er Shipping Name:	HELIUM, COMPRESSED		
Class:	t Hazard Class(es)	2.2		
Label(s):		2.2		
EmS No.:		F-C, S-V		
14.3 Packing (_		
	iental hazards:	not applicable		
	recautions for user:	-		
ΙΑΤΑ				
14.1 UN Numb)er·	UN 1046		
14.2 Proper Sh		Helium, compressed		
	t Hazard Class(es):			
Class:		2.2		
Label(s):		2.2		
14.4 Packing (Group:	-		
	ental hazards:	not applicable		
14.6 Special p	recautions for user:	-		
Other inf	ormation			
	nger and cargo aircraft:	Allowed.		
Cargo	aircraft only:	Allowed.		
14.7 Transpor	rt in bulk according to Ani	nex II of MARPOL73/78 and the IBC Code: not	applicable	
Addition	al identification:	Avoid transport on vehicles where the load		
		the driver's compartment Ensure vehicles	triver is aware of the notential	

Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers ensure that they are firmly secured. Ensure that the container valve is closed and not leaking. Container valve guards or caps should be in place. Ensure adequate air ventilation.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:



Helium, compressed

Helium, compressed					
Issue Date: Last revised date:	16.01.2013 07.09.2016	Version: 1.3	SDS No.: 000010021690 11/12		
National Reg	ulations				
		Management of Health and Safety at Work Regulations (1999 No. 3242). The Regulatory Reform (Fire Safety) Order 2005 (2005 No. 1541). Control of Substances Hazardous to Health Regulations (COSHH, 2002 No. 2677). Provision and Use of Work Equipment Regulations (PUWER, 1998 No. 2306). Personal Protective Equipment Regulations (1992 No. 2966). Control of Major Accident Hazards Regulations (COMAH 2015 No. 483). Pressure Systems Safety Regulations (PSSR, 2000 No. 128). Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives. This Safety Data Sheet has been produced to comply with Regulation (EU) 453/2010			
15.2 Chemical safe	ety assessment:	nt: No Chemical Safety Assessment has been carried out.			
SECTION 16: Other	r Information				
Revision Informati	ion:	Not relevant.			
Revision Information: Key literature references and sources for data:		 Various sources of data have been used in the compilation of this SDS, they include but are not exclusive to: Agency for Toxic Substances and Diseases Registry (ATSDR) (http://www.atsdr.cdc.gov/). European Chemical Agency: Guidance on the Compilation of Safety Data Sheets. European Chemical Agency: Information on Registered Substances http://apps.echa.europa.eu/registered/registered-sub.aspx#search European Industrial Gases Association (EIGA) Doc. 169 Classification and Labelling guide. International Programme on Chemical Safety (http://www.inchem.org/) ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets. Matheson Gas Data Book, 7th Edition. National Institute for Standards and Technology (NIST) Standard Reference Database Number 69. The ESIS (European chemical Substances 5 Information System) platform of the former European Chemicals Bureau (ECB) ESIS (http://ecb.jrc.ec.europa.eu/esis/). The European Chemica's National Library of Medicine's toxicology data network TOXNET (http://toxnet.nlm.nih.gov/index.html) Threshold Limit Values (TLV) from the American Conference of Governmental Industrial Hygienists (ACGIH). Substance specific information from suppliers. Details given in this document are believed to be correct at the time of publication. EH40 (as amended) Workplace exposure limits. 			
Wording of the R-p	ohrases and H-st	atements in sections 2 and 3	w ovelada if boated		
		H280 Contains gas under pressure; ma			
Training information	on:	Users of breathing apparatus must be trained. The overlooked and must be stressed during operate understand the hazards.			



Helium, compressed

Issue Date: Last revised date:	16.01.2013 07.09.2016	Version: 1.3	SDS No.: 000010021690 12/12				
Classification acco	Classification according to Regulation (EC) No 1272/2008 as amended.						
		Press. Gas Compr. Gas, H280					
Other information:		Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Ensure adequate air ventilation. Ensure all national/local regulations are observed. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted. Note: When the Product Name appears in the SDS header the decimal sign and its position comply with rules for the structure and drafting of international standards, and is a comma on the line. As an example 2,000 is two (to three decimal places) and not two thousand, whilst 1.000 is one thousand and not one (to three decimal places).					
Last revised date: Disclaimer:			ke an independent determination of				