PRODUCTS 2







The gas that's lighter than air, in a cylinder that's lighter than ever!

With 50% more gas and lighter cylinders, be careful you don't get carried away!

As the world's leading commercial helium supplier, Air Products brings a wealth of experience to the balloon gas industry. We understand how difficult using large, heavy cylinders can be so we aimed to make your life easier by developing our Balloonium® cylinder range.

Balloonium® cylinders are not only lighter but also contain up to 50% more gas than traditional cylinders, meaning you don't need to hold as many cylinders and so pay less in handling costs.

Our Balloonium® cylinders also save you money with their unique built-in regulator. Traditional inflator equipment is costly and needs servicing (BCGA guidance). We've built the expensive pressure-regulating equipment into the cylinder head, so you only need to buy a low-cost inflator attachment. No more investing in costly inflators and no more servicing worries. Balloonium® inflators couldn't be easier to use: the quick-fit connection means that you simply snap on the inflator and you're away!





Balloonium® cylinders – making your life easier and safer.

Safer

- Up to 50% lighter than traditional cylinders.
- Lower operating pressure due to built-in regulator.
- Built-in regulator, maintained by Air Products. No more inflator equipment servicing worries.

Easier to use

- Lighter and more maneuverable than traditional cylinders.
- Built-in contents gauge always shows how much gas is left, even when not in use!
- · Quick-fit inflators snap on to cylinder.

Save time and money

- Spend less on equipment thanks to in-built regulator and low-cost inflators.
- Contains up to 50% more gas. Fewer cylinders mean reduced delivery and handling costs.




Go on, make the change to easier, safer balloon inflating!


Select the Balloonium® cylinder that's right for you:

Name Maxi		Midi	Mini	
Size	X30S	X20W	X10W	
Contents	7.82m³	5.21m³	2.61m ³	
Weight	49kg	25kg	12kg	
Height	1050mm	870mm	655mm	
Diameter	230mm	203mm	176mm	

Balloon type	Number filled per cylinder		
9" LATEX	935	620	310
10" LATEX	860	575	290
11" LATEX	605	400	200
12" LATEX	495	330	165
16" LATEX	195	130	65
18" FOIL	535	360	180











Balloonium® cylinders are available from over 350 outlets nationwide.

Balloonium® equipment range.

Air Products has developed a range of quick-fit Conwin inflators and associated equipment for exclusive use with the revolutionary Balloonium® lightweight cylinder range.

Make the change to easier, safer balloon inflating with easy-to-use quick-fit connectors and our lightest cylinders yet.

Equipment name	Equipment part no.	Description	
Universal Inflator	301014	A flex tip inflator for latex balloons. Available in packs of two.	The State of the S
Push Valve	301016	The Push Valve is tapered to easily fit all sizes of latex and valved latex balloons. Available in packs of two.	-
Universal Plus	301012	The Universal Plus has a flex tip inflator for inflation of latex balloons and a separate auto-fill foil outlet that automatically cuts out when the foil balloon is inflated.	
10 foot extension hose	38614	A 10ft extension hose with hand-held trigger valve. Includes eight inch and two inch tips.	
Conwin Dual Sizer Conversion Kit	18077	A connection hose for use with the Conwin Dual Sizer/Duplicator. For use on models without separate 2nd stage regulator.	

Operating instructions

For your safety, wear eye protection

1. Make sure the valve is closed



2. Fit the inflator (it is a push fit connection)



For latex balloons



For foil balloons

3. Open the valve and place the balloon over the tip



For latex balloons:

Tilt the inflator upwards to inflate the balloon. Inflate balloons until round (not pear-shaped)




For foil balloons

Push in the filling tip to inflate. The inflator will automatically cut off when the balloon is fully inflated


4. When you have finished inflating balloons, close the cylinder valve. Drain any residual gas in the inflator by tilting the latex inflator or pushing the foil inflator tip



Remove the inflator by depressing the sleeve on the quick-fit connection, while holding the inflator securely







Do

- When transporting a cylinder by car ensure that the vehicle is well ventilated and the cylinder is well secured
- Ensure cylinders are stored in well ventilated areas, away from direct heat
- Always wear eye protection when using a cylinder. When inflating balloons always point the balloon and inflator away from you. Remember to close the cylinder valve after use
- Always use a proper trolley for moving large cylinders, even for a short distance
- Always fasten the cylinder to a secure support in an upright position when in use. Cylinders can cause serious injury if they fall over or roll onto you
- Keep cylinders away from children at all times. Responsible adults only should use cylinders and other equipment

Don't

- Do not deliberately inhale helium.
 Although not poisonous, this gas could result in DEATH by asphyxiation or damage to your lungs. This warning is endorsed by the British Compressed Gases Association
- Never open the cylinder valve without fitting an inflator. Once the inflator is connected, open the valve slowly
- Never use equipment which may be damaged
- Under no circumstances attempt to repair any item of equipment



For a copy of the Air Products helium safety data sheet contact the Balloonium® cylinder hotline on 0800 920 920 (UK) or 01 463 4200 (ROI)



For further information on the Balloonium® cylinder and equipment range and to order, call the Balloonium cylinder hotline on 0800 920 920 (UK) or 01 463 4200 (ROI)

Air Products PLC Millennium Gate Westmere Drive Crewe CW1 6AP

Air Products Ireland Ltd Unit 950 Western Industrial Estate 2 Killeen Road, Naas Road Dublin 12

tell me more

www.airproducts.com/balloonium

© Air Products and Chemicals, Inc. 2003